



PLANETA

Hoists and winches since 1861

**WHAT'S YOUR
CHALLENGE?**

Topic:

Electric rope winch PPW-E

Content:

The PPW Advantages


The PPW Models

The PPW Options

The PPW Outview 2026

PLANETA – Rope winches


The PPW Advantages



PPW-E
PLANETA-PLANETARY GEAR-WINCH


Includes all advantages of below types plus:

- Available in ISO M3, M4 oder M5
 - Grooved drum in standard
 - Galvanized Frame
 - Frame ready for concrete and steel mounting
 - Frame incl. Lifting eyes
- But no options FLM, AISV available



PFW-E / PKW-E
PLANETA-FLATGEAR-WINCH
PLANETA-KEGELSTIRNRADGEAR-WINCH
Economical solution up to 3000Nm (PFW3000)

- Only available in ISO M3
- Completely bolted
- Good option for stock
- Easy and fast installation
- Shorter leadtime
- Already a wide range of options available



PHW-E
PLANETA-H-BEAM-WINCH
Economical solution from 4000Nm (PHW304)

- ISO M4 as standard
- Available with standard linear Planetary gearbox and optional with helical gearbox
- High capacities and higher ISO
- Very wide range of options available incl. Optional FLM Manual free spooling clutch & AISV Automatic Spooling System


PLANETA – Rope winches

The PPW Models



Hoists and winches since 1861


	PPW-E	04 (304)	06 (305)	10 (306)	15 (307)	
M3						
Capacity(1st layer)		3,6t	4,8t	6,6t	8,8t	
Rope speed (1st layer)		6m/min	6m/min	6m/min	7m/min	
Standard Rope storage (5 layers)		129m	129m	128m	125m	
Article code		H66121	H66131	H66141	H66151	
M4						
Capacity(1st layer)		3,2t	4,3t	6,0t	8,0t	<i>increases</i>
Rope speed (1st layer)		7m/min	7m/min	7m/min	8m/min	
Standard Rope storage (5 layers)		140m	139m	137m	135m	
Article code		H66221	H66231	H66241	H66251	
M5						
Capacity(1st layer)		2,8t	3,8t	5,2t	6,9t	<i>decreases</i>
Rope speed (1st layer)		8m/min	8m/min	8m/min	9m/min	<i>increases</i>
Standard Rope storage (5 layers)		155m	153m	152m	150m	<i>increases</i>
Article code		H66321	H66331	H66341	H66351	




PLANETA – Rope winches

The PPW Options

- Special drum length from 200-800mm in 50mm steps with different frames (200-500, 550-800)
- Spindle limit switch
- Slack wire switch
- Rope drum pressure roller
- Drum guard
- Helical gearbox
- C4-Coating
- Special RAL colours for motor and gearbox (Motor then in grey)



- Update Articles for options in ERP
- Catalogue / Pricelist / Homepage Update
- PIW-E (Follow up to PCW with flying drum)



PLANETA – Hebetchnik GmbH

Resser Straße 17 • 44653 Herne • Germany • Tel: +49 (0) 2325 9580 0 • Fax: +49 (0) 2325 77077
info@planeta-hebetchnik.de • www.planeta-hebetchnik.de

**Many thanks
for your attention.**